

CLASSIFICATION: 09 60 00

created via: HPDC Online Builder

PRODUCT DESCRIPTION: THIS HEALTH PRODUCT DECLARATION COVERS ECORE'S NON-LAMINATED RUBBER TILE AND ROLLED GOODS INCLUDING EVERLAST, ECOSURFACES, QT, ECOSILENCE, ULTRATILE, ECOMAX, PLAYGUARD, SMASHTILE AND ECORE UNDERLAYMENT.

Section 1: Summary

CONTENT INVENTORY

- Threshold per material
- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- Other

- Residuals and impurities considered in 4 of 4 materials
- see Section 2: Material Notes
- see Section 5: General Notes

Based on the selected Content Inventory Threshold:

Characterized.....	<input checked="" type="radio"/>	<input type="radio"/>
Are the Percent Weight and Role provided for all substances?	Yes	No
Screened.....	<input checked="" type="radio"/>	<input type="radio"/>
Are all substances screened using Priority Hazard Lists with results disclosed?	Yes	No
Identified.....	<input checked="" type="radio"/>	<input type="radio"/>
Are all substances disclosed by Name (Specific or Generic) and Identifier?	Yes	No

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

Number of Greenscreen BM-4/BM3 contents..... 1
 Contents highest concern GreenScreen Benchmark or List translator Score..... LT-UNK
 Nanomaterial..... No

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

BINDER [POLYURETHANE LT-UNK] RECYCLED RUBBER [STYRENE BUTADIENE RUBBER (POST-CONSUMER) LT-UNK] WATER [WATER BM-4] EPDM [ETHYLENE/PROPYLENE/DIENE TERPOLYMER (EPDM) LT-UNK]

INVENTORY AND SCREENING NOTES:

Large range in material content of recycled rubber and EPDM is to account for all color options. Colors range from no color (black) to full color.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE

VOC emissions: FloorScore®
 Recycled content: Recycled Content
 LCA: Environmental Product Declaration

See Section 3 for additional listings.

<input checked="" type="radio"/> Self-Published*	VERIFIER:	SCREENING DATE: September 1, 2016	EXPIRY DATE*: September 1, 2019
<input type="radio"/> Third Party Verified	VERIFICATION #:	RELEASE DATE: September 1, 2016	* or within 3 months of significant change in product contents
*See HPDC website for details			



Section 2: Content in Descending Order of Quantity

This section lists materials in a product and the substances in each material based on the Inventory Threshold for each material. If residuals or impurities from the manufacturing or extraction processes are considered for a material, these are inventoried and characterized to the extent described in the Material and/or General Notes. Chemical substances are screened against the HPD Priority Hazard Lists for human and environmental health impacts. Screening is based on best available information; "Not Found" does not necessarily mean there is no potential hazard associated with the product or its contents. More information about Priority Hazard Lists and the GreenScreen can be found online: www.hpd-collaborative.org and www.greenscreenchemicals.org.

BINDER

%: 6.3700 - 9.0000

HPD URL:

Inventory Threshold: 100 ppm

Residuals Considered: Yes

Material Notes: Combined with EPDM, water, and recycled rubber to form rubber roll goods and tiles.

POLYURETHANE

ID: 64440-88-6

%: 100.0000

GS: LT-UNK

RC: None

NANO: NO

ROLE: Binder

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Polyurethane Binder

RECYCLED RUBBER

%: 4.5700 - 93.0300

HPD URL:

Inventory Threshold: 100 ppm

Residuals Considered: Yes

Material Notes: Primary raw material. Large range in material content is to account for all color options. Colors range from no color (black) to full color. Combined with EPDM, water, and binder to form rubber roll goods and tiles.

STYRENE BUTADIENE RUBBER (POST-CONSUMER)

ID: 9003-55-8

%: 100.0000

GS: LT-UNK

RC: PostC

NANO: NO

ROLE: Substrate/primary ingredient

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Recycled rubber

WATER

%: 0.0500 - 1.0000

HPD URL:

Inventory Threshold: 100 ppm

Residuals Considered: Yes

Material Notes: Catalyst that starts the polyurethane reaction. Combined with EPDM, recycled rubber, and binder to form rubber roll goods and tiles.

WATER

ID: 7732-18-5

%: 1.0000

GS: BM-4

RC: None

NANO: NO

ROLE: Catalyst that starts the polyurethane reaction

HAZARDS:

None Found

AGENCY(IES) WITH WARNINGS:

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Water

EPDM**%: 0.0000 - 86.8100****HPD URL:**

Inventory Threshold: 100 ppm

Residuals Considered: Yes

Material Notes: Large range in material content is to account for all color options. Colors range from no color (black) to full color. Combined with recycled rubber, water, and binder to form rubber roll goods and tiles.

ETHYLENE/PROPYLENE/DIENE TERPOLYMER (EPDM)

ID: 25038-36-2

%: 100.0000

GS: LT-UNK

RC: None

NANO: NO

ROLE: Color

HAZARDS:

None Found

AGENCY(IES) WITH WARNINGS:

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Ecore manufactures EPDM in 35 colors.

**Section 3: Certifications and Compliance**

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

RECYCLED CONTENT

CERTIFYING PARTY: Self-declared

APPLICABLE FACILITIES: All

CERTIFICATE URL:

http://cdn.ecoreintl.com/marketing/ecosurfaces/leed/LEEDv4_ECOsurfaces.pdf

CERTIFICATION AND COMPLIANCE NOTES: Recycled content varies by color. Please consult LEED guides for a list of recycled content by product and color.

Recycled Content

ISSUE DATE:	EXPIRY DATE:	CERTIFIER OR LAB:
2015-04-19	0000-00-00	Ecore

VOC EMISSIONS

CERTIFYING PARTY: Third Party

APPLICABLE FACILITIES: All

CERTIFICATE URL: https://www.scs-certified.com/products/cert_pdfs/ECORE_2015_SCS-FS-01793_s.pdf

CERTIFICATION AND COMPLIANCE NOTES: Conforms to the CDPH/EHLB Standard Method v1.1-2010 (effective January 1, 2012) for the school classroom and private office parameters when modeled as Flooring.

FloorScore®

ISSUE DATE:	EXPIRY DATE:	CERTIFIER OR LAB:
2016-01-01	0000-00-00	Global Services

LCA

CERTIFYING PARTY: Third Party

APPLICABLE FACILITIES: All

CERTIFICATE URL:

https://www.scs-certified.com/products/cert_pdfs/LCS_EPD_ECORE_RubberFlooring_040115.pdf

CERTIFICATION AND COMPLIANCE NOTES: Product Category Rule (PCR) for preparing an Environmental Product Declaration (EPD) for Flooring: Carpet, Resilient, Laminate, Ceramic, Wood. NSF International. Version 2. 2014.

Environmental Product Declaration

ISSUE DATE:	EXPIRY DATE:	CERTIFIER OR LAB:
2015-04-01	2020-03-31	SCS Global Services

**Section 4: Accessories**

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

E GRIP III

HPD URL: No HPD link provided

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: E-Grip III is a revolutionary zero-VOC adhesive that is used during flooring installation.

E-CLEANER

HPD URL: No HPD link provided

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: This cleaner meets Green Seal™ GS-37 standard. This cleaner can be used for initial, daily, and restorative cleaning.

ECOGUARD

HPD URL: No HPD link provided

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: A coating that is standard on all ECOsurfaces wear layers (excluding tile products, EConights for ESD and EConights for Sport). It is a factory-applied maintenance coat that protects the floor from dirt and scuff marks.

E-FINISH

HPD URL: No HPD link provided

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: E-Finish is a flooring finish. It gives a tough, black-mark resistant shine with no powdering.

E-STRIP

HPD URL: No HPD link provided

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: E-Strip is used for restorative maintenance when there is noticeable accumulation of dirt and contaminants embedded in the finish. E-Strip removes multiple layers of finish without harsh alkalies and other conventional components. E-Strip is specifically designed to remove E-Finish, but will also remove most conventional metal crosslinked floor polishes.

Section 5: General Notes

Large range in material content of recycled rubber and EPDM is to account for all color options. Colors range from no color (black) to full color.



MANUFACTURER INFORMATION

MANUFACTURER: Ecore International

CONTACT NAME: Dana Davis

ADDRESS: 715 Fountain Ave
Lancaster, Pennsylvania 17601
United States

TITLE: Marketing Coordinator

PHONE: 7178248210

WEBSITE: www.ecoreintl.com

EMAIL: dana.davis@ecoreintl.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

GLO Global warming

PHY Physical Hazard (reactive)

CAN Cancer

MAM Mammalian/systemic/organ toxicity

REP Reproductive toxicity

DEV Developmental toxicity

MUL Multiple hazards

RES Respiratory sensitization

END Endocrine activity

NEU Neurotoxicity

SKI Skin sensitization/irritation/corrosivity

EYE Eye irritation/corrosivity

OZO Ozone depletion

LAN Land Toxicity

GEN Gene mutation

PBT Persistent Bioaccumulative Toxic

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

LT-P1 List Translator Possible Benchmark 1

BM-3 Benchmark 3 (use but still opportunity for improvement) BM-2
Benchmark 2 (use but search for safer substitutes)

LT-1 List Translator Likely Benchmark 1

BM-1 Benchmark 1 (avoid - chemical of high concern)

LT-UNK List Translator Benchmark Unknown (insufficient
information from List Translator lists to benchmark)

BM-U Benchmark Unspecified (insufficient data to benchmark)

UNK Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

Other

Nano Composed of nanoscale particles or nanotechnology

Declaration Level

Self-declared Manufacturer's self-declaration (First Party)

Independent Lab Manufacturer's self-declaration using results from an independent lab

Second Party Verification by trade association or other interested party

Third Party Verification by independent certifier

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator, and when available, full GreenScreen assessments. The HPD Open Standard does not provide an assessment of health impacts throughout the product life cycle. It does not provide an assessment of exposure or risk associated with product handling or use. It also does not address potential health impacts of: (i) substances used or created during the manufacturing process unless they remain in the final product, or (ii) substances created after the product is delivered for end use (e.g., if the product burns, degrades, or otherwise changes chemical composition).

The HPD Open Standard was created and is maintained and evolved by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry. The HPD Collaborative is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

A disclosure completed in compliance with the HPD Open Standard is referred to as a "Health Product Declaration," or "HPD." The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD Open Standard noted.