

CLASSIFICATION: 09 60 00

created via: HPDC Online Builder

PRODUCT DESCRIPTION: FOREST RX/ TERRAIN RX IS MADE BY FUSING ECORE'S 5MM RECYCLED RUBBER BACKING TO A VINYL WEAR LAYER. THESE PRODUCTS ARE REVOLUTIONIZING THE FLOORING INDUSTRY, PROVIDING SOUND CONTROL, IMPROVED ERGONOMICS, AND HELPING TO PREVENT THE SEVERITY OF INJURY ASSOCIATED WITH FALLS. BOUNCE 2 FEATURES A SYNTHETIC WOOD-GRAIN SURFACE THAT IS FUSION BONDED TO A 5MM RECYCLED RUBBER BACKING. THE RESULT IS BEAUTIFUL FLOORING THAT LOOKS LIKE REAL WOOD DESIGNED FOR FITNESS FACILITIES.

Section 1: Summary

CONTENT INVENTORY

- Threshold per material
- 100 ppm
 - 1,000 ppm
 - Per GHS SDS
 - Per OSHA MSDS
 - Other

- Residuals and impurities considered in 3 of 3 materials
- see Section 2: Material Notes
 - see Section 5: General Notes

Based on the selected Content Inventory Threshold:

Characterized.....	<input checked="" type="radio"/>	<input type="radio"/>
Are the Percent Weight and Role provided for all substances?	Yes	No
Screened.....	<input type="radio"/>	<input checked="" type="radio"/>
Are all substances screened using Priority Hazard Lists with results disclosed?	Yes	No
Identified.....	<input checked="" type="radio"/>	<input type="radio"/>
Are all substances disclosed by Name (Specific or Generic) and Identifier?	Yes	No

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

RUBBER BACKING [STYRENE BUTADIENE RUBBER (POST-CONSUMER) **LT-UNK**
POLYURETHANE **LT-UNK** ETHYLENE/PROPYLENE/DIENE TERPOLYMER (EPDM) **LT-UNK**
WATER **BM-4**] VINYL WEAR LAYER [POLYVINYL CHLORIDE (PVC) **LT-UNK** | RES
DIOCTYL TEREPHTHALATE (DOTP) **UNK** LIMESTONE; CALCIUM CARBONATE **LT-UNK**
(C4-C13) BRANCHED ALKYL ALCOHOLS, PHTHALIC ANHYDRIDE ESTER **UNK** GLASS /
MINERAL FIBER **LT-UNK** PHOSPHATE **UNK** INKS & PASTE **UNK** POLYURETHANE **LT-**
UNK ZINC STEARATE **LT-UNK** | RES TITANIUM DIOXIDE **LT-1** | CAN EPOXIDIZED
SOYBEAN OIL **LT-UNK** CALCIUM SOAPS OF FATTY ACIDS MADE FROM OXIDIZED
PETROLATUM **UNK** ZINC OXIDE **LT-P1** | AQU | RES | MUL OCTHILINONE **LT-P1** | MAM |
SKI | AQU | MUL] ADHESIVE [ETHYLENE VINYL ACETATE POLYMER (EVA) **LT-UNK**]

Number of Greenscreen BM-4/BM3 contents..... 1
Contents highest concern GreenScreen Benchmark or List translator Score..... LT-1
Nanomaterial..... No

INVENTORY AND SCREENING NOTES:

Not all substances are screened using the Priority Hazard Lists (see Section 1) because the manufacturer of the vinyl wear layer did not disclose specifics on the Inks and Pastes in their product. Due to this lack of information, we could not add a CAS Registry Number to be screened.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE

VOC emissions: FloorScore®
Recycled content: Recycled Content
LCA: Environmental Product Declaration

See Section 3 for additional listings.

<input checked="" type="radio"/> Self-Published*	VERIFIER:	SCREENING DATE: December 1, 2016	EXPIRY DATE*: December 1, 2019
<input type="radio"/> Third Party Verified	VERIFICATION #:	RELEASE DATE: December 1, 2016	* or within 3 months of significant change in product contents
*See HPDC website for details			



Section 2: Content in Descending Order of Quantity

This section lists materials in a product and the substances in each material based on the Inventory Threshold for each material. If residuals or impurities from the manufacturing or extraction processes are considered for a material, these are inventoried and characterized to the extent described in the Material and/or General Notes. Chemical substances are screened against the HPD Priority Hazard Lists for human and environmental health impacts. Screening is based on best available information; "Not Found" does not necessarily mean there is no potential hazard associated with the product or its contents. More information about Priority Hazard Lists and the GreenScreen can be found online: www.hpd-collaborative.org and www.greenscreenchemicals.org.

RUBBER BACKING

#: 59.0000 HPD URL:

Inventory Threshold: 100 ppm Residuals Considered: Yes

Material Notes: Product backing

STYRENE BUTADIENE RUBBER (POST-CONSUMER)

ID: 9003-55-8

#: 79.0000

GS: LT-UNK

RC: PostC

NANO: NO

ROLE: Substrate/primary ingredient for Rubber Backing

HAZARDS:

None Found

AGENCY(IES) WITH WARNINGS:

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Main component in the backing of this product. Mixed with binder, water, and foamed EPDM to form product backing.

POLYURETHANE

ID: 64440-88-6

#: 10.0000

GS: LT-UNK

RC: None

NANO: NO

ROLE: Binder

HAZARDS:

None Found

AGENCY(IES) WITH WARNINGS:

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Combined with foamed EPDM, water, and recycled rubber to form backing.

ETHYLENE/PROPYLENE/DIENE TERPOLYMER (EPDM)

ID: 25038-36-2

#: 10.0000

GS: LT-UNK

RC: PreC

NANO: NO

ROLE: Pliability

HAZARDS:

None Found

AGENCY(IES) WITH WARNINGS:

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Foamed EPDM. Combined with binder, water, and recycled rubber to form the product backing.

WATER

ID: 7732-18-5

%: 1.0000

GS: BM-4

RC: None

NANO: NO

ROLE: Catalyst that starts the polyurethane reaction

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Combined with binder, recycled rubber, and foamed EPDM to form product backing.

VINYL WEAR LAYER

%: 40.0000 HPD URL:

Inventory Threshold: 100 ppm Residuals Considered: Yes

Material Notes: Product vinyl wear layer

POLYVINYL CHLORIDE (PVC)

ID: 9002-86-2

%: 55.0000 - 60.0000

GS: LT-UNK

RC: None

NANO: NO

ROLE: Binder

HAZARDS:

AGENCY(IES) WITH WARNINGS:

RESPIRATORY

AOEC - Asthmagens

Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: SPVC Binder. Combined with DOTP Plasticiser, Limestone, Ester Alcohol, Fiberglass Mat, Phosphate 141, Ink, Paste, White Titania, PUR Acrylic, CA ZN Soap, ESBO, Calcium soap, Zinc Oxide, and Octhilinone to form vinyl wear layer.

DIOCTYL TEREPHTHALATE (DOTP)

ID: 4654-26-6

%: 15.0000 - 24.0000

GS: UNK

RC: None

NANO: NO

ROLE: Plasticiser

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: DOTP Plasticiser. Combined with SPVC, Limestone, Ester Alcohol, Fiberglass Mat, Phosphate 141, Ink, Paste, White Titania, PUR Acrylic, CA ZN Soap, ESBO, Calcium soap, Zinc Oxide, and Octhilinone to form vinyl wear layer.

LIMESTONE; CALCIUM CARBONATE

ID: 1317-65-3

%: 15.0000 - 20.0000

GS: LT-UNK

RC: None

NANO: NO

ROLE: Whiting

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Combined with SPVC, DOTP Plasticiser, Ester Alcohol, Fiberglass Mat, Phosphate 141, Ink, Paste, White Titania, PUR Acrylic, CA ZN Soap, ESBO, Calcium soap, Zinc Oxide, and Octhilinone to form vinyl wear layer.

(C4-C13) BRANCHED ALKYL ALCOHOLS, PHTHALIC ANHYDRIDE ESTER

ID: 68951-39-3

%: 4.0000 - 5.0000 GS: UNK RC: None NANO: NO ROLE: Coalescent

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Ester Alcohol. Combined with SPVC, DOTP Plasticiser, Limestone, Fiberglass Mat, Phosphate 141, Ink, Paste, White Titania, PUR Acrylic, CA ZN Soap, ESBO, Calcium soap, Zinc Oxide, and Octhilinone to form vinyl wear layer.

GLASS / MINERAL FIBER

ID: 65997-17-3

%: 2.5000 - 3.0000 GS: LT-UNK RC: None NANO: NO ROLE: Reinforcer

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Fiberglass mat. Combined with SPVC, DOTP Plasticiser, Limestone, Ester Alcohol, Phosphate 141, Ink, Paste, White Titania, PUR Acrylic, CA ZN Soap, ESBO, Calcium soap, Zinc Oxide, and Octhilinone to form vinyl wear layer.

PHOSPHATE

ID: 14265-44-2

%: 2.5000 - 3.0000 GS: UNK RC: None NANO: NO ROLE: Fire Retarder

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Phosphate 141. Combined with SPVC, DOTP Plasticiser, Limestone, Ester Alcohol, Fiberglass Mat, Ink, Paste, White Titania, PUR Acrylic, CA ZN Soap, ESBO, Calcium soap, Zinc Oxide, and Octhilinone to form vinyl wear layer.

INKS & PASTE

ID:

%: 1.4000 - 2.0000 GS: UNK RC: None NANO: NO ROLE: Pigment

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: CAS NO of inks and paste not disclosed by manufacturer so this cannot be screened. Combined with SPVC, DOTP Plasticiser, Limestone, Ester Alcohol, Fiberglass Mat, Phosphate 141, White Titania, PUR Acrylic, CA ZN Soap, ESBO, Calcium soap, Zinc Oxide, and Octhilinone to form vinyl wear layer.

POLYURETHANE

ID: 64440-88-6

%: 0.9000 - 1.5000 GS: LT-UNK RC: None NANO: NO ROLE: Coating

HAZARDS:**AGENCY(IES) WITH WARNINGS:**

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: PUR Acrylic. Combined with SPVC, DOTP Plasticiser, Limestone, Ester Alcohol, Fiberglass Mat, Phosphate 141, Ink, Paste, White Titania, CA ZN Soap, ESBO, Calcium soap, Zinc Oxide, and Octhilinone to form vinyl wear layer.

ZINC STEARATE

ID: 557-05-1

%: 0.6000 - 1.0000

GS: LT-UNK

RC: None

NANO: NO

ROLE: Stabilizer

HAZARDS:**AGENCY(IES) WITH WARNINGS:**

RESPIRATORY

AOEC - Asthmagens

Asthmagen (ARs) - sensitizer-induced - inhalable forms only

SUBSTANCE NOTES: Ca Zn Soap. Combined with SPVC, DOTP Plasticiser, Limestone, Ester Alcohol, Fiberglass Mat, Phosphate 141, Ink, Paste, White Titania, PUR Acrylic, ESBO, Calcium soap, Zinc Oxide, and Octhilinone to form vinyl wear layer.

TITANIUM DIOXIDE

ID: 13463-67-7

%: 0.5000 - 0.6000

GS: LT-1

RC: None

NANO: NO

ROLE: Pigment

HAZARDS:**AGENCY(IES) WITH WARNINGS:**

CANCER

US CDC - Occupational Carcinogens

Occupational Carcinogen

CANCER

CA EPA - Prop 65

Carcinogen (form-specific or based on limited exposure pathways)

CANCER

IARC

Group 2b: Possibly carcinogenic to humans - inhaled from occupational sources

CANCER

MAK

Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value

SUBSTANCE NOTES: White Titania. Combined with SPVC, DOTP Plasticiser, Limestone, Ester Alcohol, Fiberglass Mat, Phosphate 141, Ink, Paste, PUR Acrylic, CA ZN Soap, ESBO, Calcium soap, Zinc Oxide, and Octhilinone to form vinyl wear layer.

EPOXIDIZED SOYBEAN OIL

ID: 8013-07-8

%: 0.2000 - 0.5000

GS: LT-UNK

RC: None

NANO: NO

ROLE: Stabilisers

HAZARDS:**AGENCY(IES) WITH WARNINGS:**

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: ESPO. Combined with SPVC, DOTP Plasticiser, Limestone, Ester Alcohol, Fiberglass Mat, Phosphate 141, Ink, Paste, White Titania, PUR Acrylic, CA ZN Soap, Calcium soap, Zinc Oxide, and Octhilinone to form vinyl wear layer.

%: 0.2000 - 0.5000	GS: UNK	RC: None	NANO: NO	ROLE: Stabiliser
--------------------	---------	----------	----------	------------------

HAZARDS:**AGENCY(IES) WITH WARNINGS:**

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Combined with SPVC, DOTP Plasticiser, Limestone, Ester Alcohol, Fiberglass Mat, Phosphate 141, Ink, Paste, White Titania, PUR Acrylic, CA ZN Soap, ESBO, Zinc Oxide, and Octhilinone to form vinyl wear layer.

ZINC OXIDE

ID: 1314-13-2

%: 0.2000 - 0.5000	GS: LT-P1	RC: None	NANO: NO	ROLE: Biocide
--------------------	-----------	----------	----------	---------------

HAZARDS:**AGENCY(IES) WITH WARNINGS:**

ACUTE AQUATIC	EU - R-phrases	R50 - Very Toxic to Aquatic Organisms
---------------	----------------	---------------------------------------

RESPIRATORY	AOEC - Asthmagens	Asthmagen (ARs) - sensitizer-induced - inhalable forms only
-------------	-------------------	---

ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
---------------	-------------------------	-----------------------------------

CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
---------------	-------------------------	---

MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
----------	---	----------------------------

SUBSTANCE NOTES: Combined with SPVC, DOTP Plasticiser, Limestone, Ester Alcohol, Fiberglass Mat, Phosphate 141, Ink, Paste, White Titania, PUR Acrylic, CA ZN Soap, ESBO, Calcium soap, and Octhilinone to form vinyl wear layer.

OCTHILINONE

ID: 26530-20-1

%: 0.2000 - 0.5000	GS: LT-P1	RC: None	NANO: NO	ROLE: Biocide
--------------------	-----------	----------	----------	---------------

HAZARDS:**AGENCY(IES) WITH WARNINGS:**

MAMMALIAN	EU - R-phrases	R22 - Harmful if Swallowed
-----------	----------------	----------------------------

MAMMALIAN	EU - R-phrases	R23 - Toxic by Inhalation (gas, vapour, dust/mist)
-----------	----------------	--

MAMMALIAN	EU - R-phrases	R24 - Toxic in Contact with Skin
-----------	----------------	----------------------------------

SKIN IRRITATION	EU - R-phrases	R34 - Causes burns
-----------------	----------------	--------------------

SKIN SENSITIZE	EU - R-phrases	R43 - May cause sensitization by skin contact
----------------	----------------	---

ACUTE AQUATIC	EU - R-phrases	R50 - Very Toxic to Aquatic Organisms
---------------	----------------	---------------------------------------

ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
---------------	-------------------------	-----------------------------------

CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
---------------	-------------------------	---

MAMMALIAN	EU - GHS (H-Statements)	H311 - Toxic in contact with skin
SKIN IRRITATION	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage
SKIN IRRITATION	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
MAMMALIAN	EU - GHS (H-Statements)	H331 - Toxic if inhaled
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization

SUBSTANCE NOTES: Octhilinone. Combined with SPVC, DOTP Plasticiser, Limestone, Ester Alcohol, Fiberglass Mat, Phosphate 141, Ink, Paste, White Titania, PUR Acrylic, CA ZN Soap, ESBO, Calcium soap, and Zinc Oxide to form vinyl wear layer.

ADHESIVE

%: 1.0000

HPD URL:

Inventory Threshold: 100 ppm

Residuals Considered: Yes

Material Notes: Adhesive to fusion bond the vinyl wear layer to the product backing.

ETHYLENE VINYL ACETATE POLYMER (EVA)

ID: 24937-78-8

%: 100.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Adhesive
-------------	------------	----------	----------	----------------

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES: Used to fusion bond the rubber backing and the vinyl wear layer



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CERTIFYING PARTY: Third Party

APPLICABLE FACILITIES: All

CERTIFICATE URL: https://www.scs-certified.com/products/cert_pdfs/ECORE_2015_SCS-FS-03173_s.pdf

CERTIFICATION AND COMPLIANCE NOTES: Conforms to the CDPH/EHLB Standard Method v1.1-2010 (effective January 1, 2012) for the school classroom and private office parameters when modeled as Flooring.

FloorScore®

ISSUE DATE:	EXPIRY DATE:	CERTIFIER OR LAB:
2016-01-01	0000-00-00	SCS Global Services

RECYCLED CONTENT

CERTIFYING PARTY: Self-declared

APPLICABLE FACILITIES: All

CERTIFICATE URL: http://cdn.ecoreintl.com/marketing/rx/leed/LEEDv4_Forest-rx_Terrain-rx.pdf

CERTIFICATION AND COMPLIANCE NOTES: Forest rx/ Terrain rx/Bounce 2 is comprised of 65% postconsumer recycled content

Recycled Content

ISSUE DATE:	EXPIRY DATE:	CERTIFIER OR LAB:
2015-12-19	0000-00-00	Ecore

LCA

Environmental Product Declaration

CERTIFYING PARTY: Third Party

APPLICABLE FACILITIES: All

CERTIFICATE URL:

https://www.scs-certified.com/products/cert_pdfs/LCS_EPD_ECORE_Forestrx_040115.pdf

CERTIFICATION AND COMPLIANCE NOTES: Product Category Rule (PCR) for preparing an Environmental Product Declaration (EPD) for Flooring: Carpet, Resilient, Laminate, Ceramic, Wood. NSF International. Version 2. 2014.

ISSUE

DATE:

2015-
04-01

EXPIRY

DATE:

2020-03-
31

CERTIFIER

OR LAB:

SCS Global
Services

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

E GRIP III

HPD URL: No HPD link provided

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: E-Grip III is a revolutionary zero-VOC adhesive that is used during flooring installation.

E-CLEANER

HPD URL: No HPD link provided

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: This cleaner meets Green Seal™ GS-37 standard. This cleaner can be used for initial, daily, and restorative cleaning.

WELD ROD

HPD URL: No HPD link provided

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Weld Rod is used to during installation to seal the seams between rolls.

Section 5: General Notes

Not all substances are screened using the Priority Hazard Lists (see Section 1) because the manufacturer of the vinyl wear layer did not disclose specifics on the Inks and Pastes in their product. Due to this lack of information, we could not add a CAS Registry Number to be screened.



MANUFACTURER INFORMATION

MANUFACTURER: Ecore International

CONTACT NAME: Dana Davis

ADDRESS: 715 Fountain Ave
Lancaster, Pennsylvania 17601
United States

TITLE: Marketing Coordinator

PHONE: 7178248210

WEBSITE: <http://ecoreintl.com/>

EMAIL: dana.davis@ecoreintl.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

GLO Global warming

PHY Physical Hazard (reactive)

CAN Cancer

MAM Mammalian/systemic/organ toxicity

REP Reproductive toxicity

DEV Developmental toxicity

MUL Multiple hazards

RES Respiratory sensitization

END Endocrine activity

NEU Neurotoxicity

SKI Skin sensitization/irritation/corrosivity

EYE Eye irritation/corrosivity

OZO Ozone depletion

LAN Land Toxicity

GEN Gene mutation

PBT Persistent Bioaccumulative Toxic

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

LT-P1 List Translator Possible Benchmark 1

BM-3 Benchmark 3 (use but still opportunity for improvement) BM-2 Benchmark 2 (use but search for safer substitutes)

LT-1 List Translator Likely Benchmark 1

BM-1 Benchmark 1 (avoid - chemical of high concern)

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

BM-U Benchmark Unspecified (insufficient data to benchmark)

UNK Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

Other

Nano Composed of nanoscale particles or nanotechnology

Declaration Level

Self-declared Manufacturer's self-declaration (First Party)

Independent Lab Manufacturer's self-declaration using results from an independent lab

Second Party Verification by trade association or other interested party

Third Party Verification by independent certifier

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator, and when available, full GreenScreen assessments. The HPD Open Standard does not provide an assessment of health impacts throughout the product life cycle. It does not provide an assessment of exposure or risk associated with product handling or use. It also does not address potential health impacts of: (i) substances used or created during the manufacturing process unless they remain in the final product, or (ii) substances created after the product is delivered for end use (e.g., if the product burns, degrades, or otherwise changes chemical composition).

The HPD Open Standard was created and is maintained and evolved by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry. The HPD Collaborative is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

A disclosure completed in compliance with the HPD Open Standard is referred to as a "Health Product Declaration," or "HPD." The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD Open Standard noted.